MISSOURI BO

PETER H

GEO

BOTA



Sinc

page

onlin

nu

Collectors.

Anchus-Cloz p. 13.
Andrieux p. 15

Bourgeau 3.
Bove 3
Balansa 4
Botta 4
Bentham 6
Bernard 6
Blanche 6
Blanchet 13
Boland'er 14
Cosson 5
Cuming 15
Coulter 18
Drummond 7. 15.
Drege 14
Don 14
Escholtz 8
Fremont 11
Funk. 4
Fendler 8. 18.
Gasparini 6
Gregg 7
Geyer 8. 17
Graham 11
Guillemin 13
Gay 14
Gaudichaud 4
Gardner 15
Griffith 16
Galeotti 17
Holton 4
Hayden 8
Hildreth 12

Hügel 16
Hermann 8
Hartweg 15
Hostman 16

Bertero 14
Jacquemont 1
Jameson 18
Kunth 5
Karwinski 7
Kotschy 13. 17
Lechler 18
Linden 4
Lefevre 6
L'Heimerdt 12
Lund 14
Lobb 15
Lemmon 17
Delessert 14
Matthews 15
Martius 16

Beal 2. 13.
Bernudière 6
Beppig 7. 13
Bolle 16
Bacon 18
Bavillon 2
Reichenbach 2
Strachney 1
Schimper 17
Spruce 18
Sieber 15
Tweedie 18
Thurber 8
Vantier 14

Pauli 5
Reuter 6
Rugel 16
Schiede 16

5054

Welwitsch 1

Willkom. 1

Wright 7. 9. 10.

Wullich 14

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Sic Cuscutae in Webb et Bourgeau plant Canar.

& Webb. Phytogr Canariens. 1844 & 1845. pag 36
pl. 141.

Cuscuta microantha Tin Flor. Sicul. Synopsis II. vol
C. tubulata Tin. p. 887 1844
C. halophyta Fries Nov. Fl. Suec. Mantiss p. 8
a swedish p
C. approximata Babingt Brit Journ 1844 p. 542
Babingt in annals & magazin of Nat. Hist.
p. 83 march 1844 fide Bromfield Mss.

Sic fil Cuscuta racemosa Req. Corsica

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

5055

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

New Names for the Celtis

C. Jussonii = Jasperii = C. Jussone = Spitzbergensis

C. bracteosa = Gasp. = C. Jussone = C. planiflora

5056

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Fendler N. Venezuel

946 = Cuscuta Boraginearum

2069 C. Americana

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5057

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

From Dr Roemicke's letter

Petersburg. July 2 1858

C. fimbriata is not a name of Bunge's but a mistake
of Turczaninow

Astar is in the Government of Saratow
Denetzejewsk in Govermt of Astrachan
both therefore in the Wolga regions

The Cucumber sent to me are those of the Herbarium
of the bot Garden / not of the Academy.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5058

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Guinone Prodr. Flor. Sicular

neap. 1827.

pag 291. Cassuta alba

" C. Epithymum.

Cassuta of yuteta Indica — ci sui
to be found by Stocker some where
perhaps in Hookers Journal

5059

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Hab. list of Carduus indicus
scripsit Dr J D Hooker
Aug 1857

Carduus Lanceolatus.

Hab. in Himalaya temperata
alt 9-13000 ped. Kashmir, T. Thomson;
Kulu Edgeworth; Kumaon, Strachey &
Winterbottom; Sikkim, J. D Hooker;
(fl. July - August) - Tibetia occidentali, temperata
alt 10-13000 ped T. Thomson.

Carduus brevistylus, A Braun

Hab in Tibetia occidentali temperata
alt. 10-12000 ped. T. Thomson.
Affghanistan Griffith. Beluchistan
Stocks. (fl. October)

Carduus planiflora Tenore

Hab Tibetia occidentali temperata
alt 10-12000 ped. T. Thomson; Panjab
(e. Jaskund intro-ducta) Edgeworth;
Affghanistan Griffith; Beluchistan
Stocks. (fl Nov.)

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5060

Carex capitata,

et Tibetia
Hab. in Himalaya occidentali temperato;
in regione alt. 8000 ped. Jacquemont,
T. Thomson. Affghanistan Griffith
(Fl. August.)

Carex pulchella Lange

Tajee
Hab Affghanistan, Griffith.

Carex monogyna, Wahl

Hab Affghanistan Griffith.

Carex (Gjantea Griff.?)

Siah Sung Ravine
Hab. Affghanistan Griffith.

Carex Ceylanica, Lam

Hab in Ceylonia Hab. Thwaites 611.
Peninsula Malayana ad Montem Ophir
Wallich; Affghanistan Griffith.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Habitat ap Cucumis indicus
Dr. J. D Hooker

Cuscuta approximata, Bab. ? hyalina Roth.

Hab. Peninsula Indiae ad Madras
g. Nimmea. Seringe Stocks;
Beluchistan Frere.

Cuscuta reflexa, Roxb

Hab. In Indiae orientali tota.
Ceylon, alt 6000 ped, Gardner, &c.;
Concan, Stocks,; Behar, J.D Hooker.
Silhet, Wallich Mount. Khasia all
3-6000 ped J. Hook. & Thoms.. Planitiae
Gangeticae et Punjab, necnon in
Himalaya tractu et ~~subtropica~~ temperata all
2-7000 ped a Bhotan ad Kashmir.
in provinciis occidentalibus ad 10000
ped ascendens. (Fl. Octobr - Decbr.)

Cuscuta obtusiflora H.B.K
Martabania Wall. Cat. 1320. a3
Kashmer Jacquemont 876

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3061

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

1)

Welwitsch C. Lusitan. 1851 N2 in Estremadura ad Heliotropium maritimis HBoiss HH HC rubricaulis J. Gibby HBoiss?

192 Serra de Arabida in Rosmarino (188) H.B. alba

C. Chrysoroma Cosson & Lissala. 1851 HH. Cos. H. Gay.

In Algarb Serra de Monchique simulis jugis ad ulivas etc frequens „C. microcephala" f. rubricaulis

Wilkomm 246 (455) in HBoiss = rubricaulis!! (rubricaulis ??) planiflora ?

„Cus minor" in Salsis Lavanduletis f. Castilia HV.

52.a Sierre de Chiva HB ? (tt 153) 2G 1850 HC. H Gay HBoiss

C. Gp. Hypnum

303 vide tt 139 C. rubricaulis

263. Sierra Nevada „C. microcephala". C. planiflora (138

303. „C. planiflora" fide Kunz = H.... C. calycina var (146 & 155

als = H Hook

Jacquemont Voyage en Orient.

2183 Himalaya Cuscuta macrantha H.P.

1109 Benaras " " H.P.

2520 Saharunpore " H.P.

149 Jaswan C. macrantha H.P.

Kanum C. rosea Jacq. var H.P. H Gay

(= H.G. this last species is numbered 1550; = Hk Mss Par it has no number) = capitata

R. L.E

Strachey & Winterbottom Herb. Himalay.

3. Kumaon C. rosea Jacq. H.P.

var Nov = HG. Hook is C. europea var indica

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

2/ Prosl. „Cistus alba"! H V = C. Lpsthymus

Huet de Pavillon

459. Misilmeri, Sicilia, in Oryngeis 24 May 1856 H Gris. C. imbricatus
394 Abruzzen 1856 H Gris. C. cuneus
Palermo 1855 H. Gr. H. C. C. calycina microphylla

Reichenbach fil

1 C. imbricatus (117)
2 C. " "
3 C. " "
4 C. Europaea (118)
5 C. " " (119)
6. C. Lpithymus calycibus brevissimis (bis 119)
7 C. planiflorus " (120)

17 Thos Rotschy

692. Pers. boreal. 1843. C. Europaea var

580 ♀ - ♀ 23 July 1843 C. Cyprio-flora (161
580.a " " " " " " " Hb. Vienna
118. Schirazy - - -

98 Fendler 946 Oreynda Cinn. inclusa 5062
2069 " " C. Americana = C. Bigelowii

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

R. Spruce 1 Santarem, Prov. Pará May 1850 H. Berlin & H H Gott
2 — — — — — April — May 1850
Gottsche C. sphaerocyma (No 854)

Jameson 542. El Ecuador, Cool country Guayaquil (Pg 38) H H.

Coulter 1010 Sonora alta H. H. C. umbellata? minima

Hb. Cavan Madrid 1798. in Lambert H. Boissier C. planiflora
Madrid H. Boissier C. turgida
Guayaquil. H. Boissier C. ~~sphaerocephala~~

Lechler, Valdivia 679 C. araucana — Hb. B. & Hb. V.
Hellwerth.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

3/

E. Bourgeau

1298. P.B. d'Espagne – Ala Casa de la Sierra de Gador Almeria 3 mai 1851
= C. calycina. H.P. H.Cos. H. Grisb. (+5156) H Gay

1430 H. Canar. Guimar, Teneriffe „C. Epiploeum" 12 Febr. H.P. HC.
= C. calycina

1430.a. " " Montik' Leguesti 8 Juin H. „C. calycina" H.P. C. calycina (246)

18. Teneriffe Febr. 1845 H.C. „C. calycina" + 258 H Gay

459 C. Epiploeum. Webb mss! Teneriffe May 1846. H.C. (227)

Buenavista, Teneriffe, 19 Jun 1855. H.C. C. Epiploeum (247).

426 C. Episonchum Webb. Canaria March 1846 H.C. (258) H Gay

Santa Cruz, Teneriffe 16 April 1855 H.C. C. calycina

Toulon, Fort rouge 25 May 1848 H.C. C. rubriundis var.

Teneriffe, Guimar (in umbellifera) 24 Jun 1855 HC calycina

1299 Pl. d. Esp. Sierra Nevada – 15 July 1851 H.C. H.P. planiflora

Alcala near Madrid, June 1854 H.P. HC. planiflora

331. „C. minor" H. d'Esp. 1849. 16 July Ronda H.C. H.P. planiflora

655 Vielle Pyren. Espagn. Aout 1847. HC. HP C. Epithymum!
mixed with rubrial
Sierra Nevada à St. Geronimo July 1851 HC. HP. ÷ H.C.

606. Vielle, Pyren. Espag. Aug. 1847 H.P. europea C. rubricalis, var nana C. pu-flora

" C. Epiploeum " Bourgeau, Teneriffe 1855. – H Gris. = C. alba

460 " C. Epithymum " Canaria Mart. 1846 (H. Hook) (turgida) (176

Bové C. Europea ÷ H. Mauritan C. alba
C. Epithym. N° 954 = C. arabica

B. Balansa

411 Magnesia, As. min. 14 Aug. 1854 Cent. Lehmanniana
H.C. H.Gr. H.Gay. Bunge
Pl. d'Algérie 1853 Juin, Batna H.P. (sine no) C. papillosa (267)
707 C. Balansae" Taurus, on Hyperica. 16 Aug. 1855 H.C. H.Gr. (157) H.Gay
708 "C. Balansae" Cesarea 9 Aug 1855 H.C. H.Gay. x = C. globulosa
413. C globulosa Boiss & Tmolus 23 July 1854 H.C. H.Gr. (131) H.Gay = C. elegans and also globulosa
414 C. circulata" Tmolus 21 July 1854 H.C. H.Gr. (152) planiflora
412 " C. planiflora" Smyrna 1 Aug. 1854. H.C. H.Grisb (143)
Taurus 15 Sept 1855 H.C. (" C. hyalina") H.Gay — C. europaea communis
Cesarea, Cappadocia 12 Aug. 1856 on Rhaeadolepta Boiss. Vahliana H.Gay

x. = hb. Cosson this is C. elegans (pedicellata)
but in hb. Gay it is (congenita, like the former)
= 707 C. globulosa

708 " C. elegans sp. nov. Boiss & Reut " Cesarea 9 Aug. 855 (= H.C. Hook), printed label

Nos 681. Mss only species in H.C. Boissier, Messina, pool of the Taurus: C. turgida
682 " " " " " " " 8½ in. Gözel-Déré " " " " C. erecta pauciflora

Linden 291. Comitan, Febr. — C. Popayanensis H.H.
308 ~~Vera Cruz~~ Jalapa C. Jalapensis & C. stylosa mixed. H.H
1994 St Yago de Cuba = H.P. = C. Americana major
Yucatan — H.P. C. Americana major
168 Triana H.H. C. obtusiflora corolla cyathi lobis antice hirsutis

P.E. Botta Sinai H.P. (fr 179) C. brevistyla
" Yemen 1837 H.P.

J.F. Hollon Flor Neogranadina — Caucana No 544
= H.C. Hook. 26 Aug 1855? C. obtusiflora var?

Funk Sierra Nevada July 1845 H.C. = genuine specimen quodam
C. Epithyon var C. Obtusiflora Colon

5

E. Cosson Falaises de la batterie Espagnole à Oran 8 Mai 1852
C. calycina albella (248) H.P. H.C.

Montagnes de Djurdjura, Juin 1853 H.C. calycina alba
Dic de Sidi-Amer, Juill. 1852 H.C. papillosa
Djebel Santo à Oran Mai 7 1852 H.C. calycina alba subpapillosa
Castella mare (Naples) 12 Juin 1846 H.C.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

5063

L. Kralik Champs sur les Berges du Nil, Kehneh, Egypte sup.
25. Fbr. 1848
C. Arabica

Champs sur les berges du Nil, Koum, Ombou Egypt. sup.
16 Fbr. 1848
C. Arabica

Egypt Champs, Berges du Nil près de Kehneh Egypt. sup. 15 Jan 48
C. Arabica

Champs, Syout, Egypte sup. 5 Mars 1848 C. Arabica

In pascuis desertis prope Gabes, Tunis Juin 1854 H.C. H.P. N. 411.6 Juin 62
ad margines deserti, Gabes " 21 Juin 1854 H.C.
Tunis 1854 H.C. + Exposita H.C.
in fruticetis Djebel Jaghouan Tunis N. 410. a 7 July H.C. H.P. papillosa & calycina
in pascuis desertis prope Gabes N. 410 18 May H.C. H.P. papillosa
Djebel Jaghouan 13 Juni 1854. H.C. papillosa
Tunis Kadous 24 May H.C. C. planiflora var. conniveus 260.
" C. Epilinum, Fayoum Egypt. 14 May 1848 H.C. C. planiflora 274
Boriferè Corsica 14 May 1849. H.C. - 13 Jan 1848 H.C. Boissier C. Epilinum!
Ile Isoradora Corsica 14 July 1849. H.C. H.Gay
Corsica 26 July H.C.

Wiest. Raulin Syra 1845 H.P. C. cretica
323 Khania, Creta 1845. H.P. C. cretica
322 " " " H.P. C. planiflora minor
Malta 1845 H.P.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

G. H. de la Perraudière Puerto Orotava Tenerife, 9 Mars 1855 H.P. ou Chrysanth.
Santo Octavo = C. Episonchum (247)

Guimar, 2 Mars. H.P. C. calycina = Marnbéi
Urbanie Isla de Fer, Canaries, 13 Mai H.P. (246) C. calycina 25 Apl
Guimar. Febr 26 H.P ou Adenocarpus C. calycina
Arico Tenerife 25 Juin C. calycina (258)
Guimar " 20 Febr. = Fuertaria (258) calycina
Erobanal " 2 Mai. = Marnbéi C. calycina
Tenerife ou Gladiolo 9 Apl (C calycina ad. latine
Santa Cruz 20 Apl = Virgumbea
Guimar ou Rosaria = C. Episonchum (247)
Tenerife ou Sonchus spinosus (Episonchum) 2 Mars (258)
Santa Cruz ou Micromeria 12 Apl (calycina (246)
Tenerife ou Plantag arborea 27 Mars C. calycina (246)
Sarinosa Heierro 18 Mai ou Chrysanthem calycina (258)

Gasparini (M.G.) Sicilia 846 C. calycina fig 249. H.P.

Lefevre Petite isle d'Ourlach, Grèce, Mai 1826. C. calycina (249)
HB. HP.

Benthan Montpellier = H.P. ou Artemisia, (251) (C. planiflora)
H. P.

Bo
Bernard, Bona H.P. - C. calycina

Blanche Saida, Liban 18 Mars 1853 H.P. Cirsium Cretica fig 272
Beyrut, Syrie ou D. Glauca H.C monogynum Rhiana

Reuter Sierra de Guadarrama 1841 Hb Boiss subinermis ? appr. to planiflora
reg. infer. Seisse Nevada Lly 1849 H.C. Hb Boiss subinermis & planiflora
Toledo sur Retama 1841 Hb Boiss planiflora
Sierra de Avila Castellvilla 1841 " " subinermis

7. Collectors

Kaweinski 1825 Hb. Vindob. 54 C. tinctoria Mart. Herb.
Hb. Turcz. 30 " "
Hb. Martius " " "
Hb. Zuccar. 49. Prope Tolucam 1835. C. stylosa

Poeppig Chile Hb. Vind. 72. C. racemosa fl. majore
Chile " " 73 C. chilensis sub. nom. C. odorata
Cuba 1822 ... 56 a C. mucronata
6 C. glandulosa
Chile, Concon Aug. 1827 in Hb. Boiss. C. mucronata
sub nom C. popayana

Gregg. own numbers 78. Buena Vista C. mucronata grandiflora
San Luis Potosi C. tinctoria
Mazatlan C. texana

my numbers 401. East of Parras in C. racemosa
417 west " "
888 Alamos C. mucronata parviflora
880 Camargo C. umbellata

Wright navy yard, Mare island, Bay of San Francisco C. californica
C. var. brachyantha

Drummond

8

Cochschoz. Idaho (H. Ledeb. 27.)
" " Chili ... 26 C. chilensis
Brasilien . 25 C. globuliferus

Hayden . Nebraska
C. Coryli, (umbrose) squamis minoribus dentatis, fl. 4 foliis, raro 5 foliis; corolla capsulam involutam, a basi soluta
C. semiflorus, fl. 3-4 partiti, raro pentamiis 5 foliis
C. glomeratus

Fendler. 659a. C. umbellatus Mo Pk
659.b. C. suspidatus on the Arkansas
658 C. coryli Council grove
657 C. glomeratus Chis. Shawnee Pk of the Arkansas
Heermann
" C. subinvolucratus Durand & Hilgard." = C. californicus Chis

Thurber 822. suspidatus
818 squamatus
633 californicus Chis
570 " " .

L. Felipe Juan
San Diego, May

Geyer 674 Missouri — Oregon. (or Lon xanthifolius?
C. arvensis barren region G. arvensis fr. Mex

MISSOURI
GEORGE E

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

11 — 01

Fremont

Decorn

485. (1843) C. neuropetala flores nudi, longius pedunculati, calycis tubi convoluti tubo corollae brevioribus; stylis ovario brevioribus proclusis

506 (1846) ~~C. cuta n/p.~~ C. acuminata Nutt fil/p. stems on Mora

79 (1845) C. cut. n/p. Hb. Torr. Hb. Engl Hb Kew

444 (1846) capillary stems pubblyalso C. arcuata

1-2 feet 6-3/4 on Coteyone, mixed with Aven

SOURI BOTANICAL GARDEN
ORGE ENGELMANN PAPERS

Jurhaun 250 Mexico 1830 = Hb. Benthan

5064

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

12 Lindheimer 473 Canto 1/4 Decora

The marked are the published numbers - pl. Fax exsicc.

473. C. arvensis var vernosa = Lib. pict. 152. b (1846)
318 (prior 1846) C. decora var hispidula
474 same!
475 C. decora fl. maj., cal. brevi, (prior. 317. 1846)
472 C. gamostyla (316. 1846)
~~664~~ ~~(490. 1847)~~
C. glaucantha Chis, on Ft Lincoln. Oct 1847
664 C. arvensis macrocalyx (490 the 1847) (94)
C. " var pubescens on the Pinedales 1847 (84)

123 Gr. decora var
124 Gr decora var
125 Gr. ~~respecta~~
277 Gr ——— var hispidula
126 = Hb. Hook is = C. arvensis
127 - - - - C. - - - - var vernosa

de Heldreich.

Attica = Monte Lycabettus (!) 3 June 1835 " C. alba " C. cretica (148)
HC. H. Gris. H. Ox. (172)
prope Koniah, As. min June 1845. HP. C. pithya var: parviflora (257)
Taygetus on Daphne HC. HP. H. Lenor HC. plani-flora obtusi-flora
Parnassus C. macranthus (Guiciardi leg). 2 Aug. 1855 HC. HB (170) = C. Spithya
" C. leucosphaera. " " 28 July 1855 HC. HB (169)
= plani-flora
Two forms under the name HC
" C. Callicopes " " 1855. HB C. Spithya

both plants of Daphne on the Taygetus & Parnassus are put together in Boissiers Herbar as the same under the name of macranthus

Boros C. monogyna

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

19 1850 C. decora var hispidula & Ho. Boivin
21 C. arvensis var pubescens allover Hd Hook not E
22 C. decora a. humosa H. Hook not E.
3 C. decora
4 C. decora
5 C. arvensis var pubescens
6 ~~C. umbellata a. pubescens~~.
7 C. decora & var hispidula
8 " " "
1639 a. umbellata = Ho Boivin only C. leptantha
b. ~~C.~~ leptantha

1852

534 margin of Comanche Spr
no no Devils river, July 6 —
503 Limpia
no no " Pallegia — —
392 squamata
Banks of the Leona July 12. leptantha
574 arvensis var pubescens
570 umbellata

1857.

484. San Pedro, Sonora decora C. decora
" 1. decora " "
541. ~~Brachyanthes~~. depressa
585 ~~brachyantha~~ var
578 tenuiflora
624 " "
6 squamata n sp
N 2 arvensis var pubescens
529 sonoriensis n sp
371 umbellata
695 " —



9 Wright 1849

Described sp. = Herb Austin under the following numbers

1. C. decora or Schott ——— 520.
K C glandulosa var ?
L C decora or brunnea
M C arenicola var pubescens ? 519 or Croton
N C. decora, or brunnea ——— ? 521
O " "
P C. arenaria var pubescens.
Q C. decora or Nuttallii ——— 524
R ciliantha ——— 522
518. S squamata ——— 518.
T C. decora or Andrieuxii 523
U C. arenaria var vernonia 523.
V C. decora or Thymus Hedroma
W. C. decora or Andrieuxii.

San Francisco Wright 1855

1851 1. C. Californica = C. subserrulata
2.

1851 & 52

1622 C. decora or
3 ~~brachyantha~~ depressa applanata.
4 sonoriensis var
5 ~~brachyantha~~ depressa applanata
6 tenuiflora
7 umbellata
8 squamata
1629 tenuiflora

5065

MISSOURI BOTANICAL GARDEN ST. LOUIS, MISSOURI

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN